



*Alger Meekma*

Breeder: Dhr. H.J. Woestenenk, Laren

- + Low kinship
- + High components
- + Heterozygous polled
- + Beta casein A2A2




*Alger Meekma*

De Blanke Biele Desiree 48  
(dam of Resandor (Pp))

## BULL INFORMATION

Name	De Blanke Biele Resandor P	Date of birth	2018-01-01
Herdbook number	NL 759258000	Gestation length	291
A.l.-code	361149	Kappa Casein	AA
aAa code	342	Beta Casein	A2/A2
colour	RB	Cow family	Desiree
Breed	100% HF	Straw colour	Paars



High component percentages, great udders, A2/A2 and polled just about sum up the Red Holstein bull De Blanke Biele Resandor (Pp) (Sander x Malando x Ideal). This well developed, powerful bull also offers a recently discovered cow family in his maternal line that is performing ahead of the herd in all respects.

Resandor inherited the polled gene from his sire Sander P. This bull, with a slightly out of the ordinary lineage, has a faultless transmission pattern. The traits he passes on for milk, fat and protein content amply tick all the boxes. As far as conformation goes, he produces the ideal cow for free stall barns: medium-framed, broad and with a good udder (with slightly longer teats) and good legs. The picture is completed by very good scores for somatic cell count and fertility.

We occasionally come across a new cow family that is performing remarkably well on a farm. Resandor's maternal pedigree, the Desiree line, is a typical example that stands out from the crowd. The Desiree line equates to good lactation values, high protein contents and very good conformation including super udders. And while on the subject of conformation, Resandor's dam descends from four generations of VG cows who scored 87 points or higher. The cow who noted the highest lifetime production in...

## BREEDING VALUES

NVI	INET	Lgv.
-42	-46	82

















## PRODUCTIEVERERVING

% Rel	Daughters	Herds			
97	244	123			
KG milk	% Fat	% Protein	KG fat	KG protein	Inet
-784	0.41	0.22	-1	-10	-46

## FUNCTIONAL TRAITS

Calving ease		90
Vitality		87
Beef index		97

























## DAUGHTERS

Fertility		104
NR		104
Calving interval		105
Mat. calving process		97
Mat.Vitality		97
Persistency		100
Maturity rate		108
Udder health		99
Somatic cell count		98
Milking speed		98
Robot efficiency		98
Robot interval		98
Robot habituation		99
Claw health		97
Temperament		95
Body weight		97

## TYPE SCORE

% Rel	Daughters	Herds
93	54	27

## TYPE SCORE

Frame		100
Udder		98
Feet & Legs		88
Total Score		92
Stature		98
Chest width		96
Body depth		96
Angularity		97
Condition		99
Rump Angle		98
Rump Width		101
Rear legs Rear view		92
Rear leg Set		110
Foot Angle		89
Front feet orientation		98
Locomotion		92
For udder attachment		97
Front teat placement		97
Teat length		101
Udder depth		103
Rear udder height		97
Central ligament		102
Rear teat placement		100
Udder balans		100

