




*Jane Steel*

Breeder: Hartmut Börger, Wietmarschen, Duitsland

- + Correct udders
- + Calving ease bull
- + Heterozygous polled
- + Kappa casein BB
- + Beta casein A2A2

## BULL INFORMATION

Name	DG Bon Bini P ET		
Herdbook number	DE 0361275630	Date of birth	2019-03-18
A.I.-code	782752	Kappa Casein	BB
PFW code	C	Beta Casein	A2/A2
aAa code	234	Cow family	Spottie
colour	ZB	Straw colour	Geel
Breed	100 % HF		



The Sunnylodge Prelude Spottie line, which originated in Canada, is a cow family that has acquired a lot of international fame over the course of time. Regular delivery of proven bulls, has made Spottie a leading name in dairy cattle. The Cogent bull DG Bon Bini P (Hotspot x Missouri x Smurf) also comes from this line, more precisely from a European branch of the Spottie family. Bon Bini carries the polled factor, the A2A2 gene for beta-casein and BB for kappa-casein. High milk production and protein content levels are expected through production inheritance, while, in terms of conformation, top quality udders with somewhat longer teats stand out and the scores for secondary traits are all very good.

The sire Hotspot P passed on the polled gene to Bon Bini. The German bred Hotspot has been used a lot as a sire of sons and turns out to be a top-class bull. The striking characteristics of this jet-black bull include high content levels, very good udder inheritance, great secondary traits and easy calving bull status.

The successful Spottie family, which can be found in Bon Bini's dam line, comes with high conformation scores. From Bon Bini's great-grandam Bayla (VG 86) this line has 11 generations of cows with an Excellent (EX) score for general appearance. This breed line. with...

## BREEDING VALUES

NVI	INET	Lgv.
173	256	231

















## PRODUCTIEVERERVING

% Rel	Daughters	Herds			
90	33	10			
KG milk	% Fat	% Protein	KG fat	KG protein	Inet
1047	-0.17	0.03	28	40	256

## FUNCTIONAL TRAITS

Calving ease		103
Vitality		104
Beef index		94

























## DAUGHTERS

Fertility		104
NR		103
Calving interval		101
Mat. calving process		102
Mat.Vitality		104
Persistency		106
Maturity rate		106
Udder health		100
Somatic cell count		102
Milking speed		98
Robot efficiency		98
Robot interval		104
Robot habituation		95
Claw health		103
Temperament		103
Body weight		96

## TYPE SCORE

% Rel	Daughters	Herds
90	7	2

## TYPE SCORE

Frame		95
Udder		106
Feet & Legs		97
Total Score		100
Stature		101
Chest width		91
Body depth		97
Angularity		103
Condition		97
Rump Angle		95
Rump Width		103
Rear legs Rear view		99
Rear leg Set		90
Foot Angle		104
Front feet orientation		90
Locomotion		101
For udder attachment		107
Front teat placement		96
Teat length		105
Udder depth		108
Rear udder height		103
Central ligament		96
Rear teat placement		95
Udder balans		99

