




Breeder: Hartmut Börger, Wietmarschen, Duitsland

- + Correct udders
- + Calving ease bull
- + Heterozygous polled
- + Kappa casein BB
- + Beta casein A2A2

## BULL INFORMATION

Name	DG Bon Bini P ET	Date of birth	2019-03-18
Herdbook number	DE 0361275630	Kappa Casein	BB
A.I.-code	782752	Beta Casein	A2/A2
aAa code	234	Cow family	Spottie
colour	ZB	Straw colour	Geel
Breed	100 % HF		



The Sunnyslodge Prelude Spottie line, which originated in Canada, is a cow family that has acquired a lot of international fame over the course of time. Regular delivery of proven bulls, has made Spottie a leading name in dairy cattle. The Cogent bull DG Bon Bini P (Hotspot x Missouri x Smurf) also comes from this line, more precisely from a European branch of the Spottie family. Bon Bini carries the polled factor, the A2A2 gene for beta-casein and BB for kappa-casein. High milk production and protein content levels are expected through production inheritance, while, in terms of conformation, top quality udders with somewhat longer teats stand out and the scores for secondary traits are all very good.

The sire Hotspot P passed on the polled gene to Bon Bini. The German bred Hotspot has been used a lot as a sire of sons and turns out to be a top-class bull. The striking characteristics of this jet-black bull include high content levels, very good udder inheritance, great secondary traits and easy calving bull status.

The successful Spottie family, which can be found in Bon Bini's dam line, comes with high conformation scores. From Bon Bini's great-grandam Bayla (VG 86) this line has 11 generations of cows with an Excellent (EX) score for general appearance. This breed line. with...

## BREEDING VALUES

NVI	INET	Lgv.
172	242	190

















## PRODUCTIEVERERVING

% Rel					
88					
KG milk	% Fat	% Protein	KG fat	KG protein	Inet
854	-0.07	0.06	29	36	242

## FUNCTIONAL TRAITS

Calving ease		103
Vitality		103
Beef index		97

























## DAUGHTERS

Fertility		103
NR		102
Calving interval		100
Mat. calving process		103
Mat.Vitality		104
Persistency		106
Maturity rate		103
Udder health		101
Somatic cell count		102
Milking speed		100
Robot efficiency		97
Robot interval		102
Robot habituation		97
Claw health		104
Temperament		102
Body weight		95

## TYPE SCORE

% Rel
91

## TYPE SCORE

Frame		95
Udder		108
Feet & Legs		100
Total Score		103
Stature		100
Chest width		91
Body depth		98
Angularity		103
Condition		97
Rump Angle		96
Rump Width		102
Rear legs Rear view		100
Rear leg Set		94
Foot Angle		101
Front feet orientation		96
Locomotion		102
For udder attachment		108
Front teat placement		100
Teat length		103
Udder depth		108
Rear udder height		105
Central ligament		98
Rear teat placement		95
Udder balans		101

