




*Alger Meekma*

Breeder: Mts. J.B. Klein Wassink en I.M.H.Alefs, Ruurlo

## BULL INFORMATION

Name	Raw-Hill Kingly	Date of birth	2009-01-16
Herdbook number	NL 604728511	Gestation length	294
A.I.-code	36774	Kappa Casein	AB
aAa code	126	Beta Casein	A1/A1
colour	AZ	Cow family	Dora
Breed	100% HF	Straw colour	Turquoise *



High percentages, the golden cross Kian x Lightning AND lineback, this all can be found in the bull Raw-Hill Kingly (Kees x Kian x Lightning). On top of that Kingly knows three generations with protein bulls in a row.

Lineback bull Erfgooyer Kees, sire of Kingly, is a percentages bull pur sang. Kees breeds moderate sized cows with fine udders and good feet & legs. They can be described as ideal cows for the Dutch housing circumstances. Cows with average fertility and a very good udder health. Further striking is the very good persistency, extreme late maturity and sky-high scores for longevity.

Kingly's dam Dora 32 origins from the very successful combination Kian x Lightning. Some of current's best red & white proven bulls have this similar cross. The thing which both bulls have in common (positive protein and very good feet & legs) can be recognized in Kingly's dam (Dora 32) and granddam Dora 28 as well. They score an average protein level of 3.78% and 3.68% (in 305 days) and 86 and 87 points for feet & legs respectively. Besides this, the longevity in the Dora family is very good – resulting in high lifetime productions. All together qualities which fit great in today's Holstein and Red Holstein population and a beautiful alternative for the lineback...

## BREEDING VALUES

NVI	INET	Lgv.
-243	-334	-369
















## PRODUCTIEVERERVING

% Rel	Daughters	Herds			
94	97	55			
KG milk	% Fat	% Protein	KG fat	KG protein	Inet
-1589	0.31	0.08	-41	-49	-334

## FUNCTIONAL TRAITS

Calving ease		95
Vitality		100
Beef index		96
























## DAUGHTERS

Fertility		93
NR		92
Calving interval		94
Mat. calving process		90
Mat.Vitality		90
Persistency		101
Maturity rate		103
Udder health		96
Somatic cell count		95
Milking speed		99
Robot efficiency		100
Robot interval		95
Robot habituation		101
Claw health		98
Temperament		99
Body weight		86

## TYPE SCORE

% Rel	Daughters	Herds
75	12	10

## TYPE SCORE

Frame		87
Udder		88
Feet & Legs		88
Total Score		81
Stature		87
Chest width		91
Body depth		90
Angularity		88
Condition		97
Rump Angle		99
Rump Width		89
Rear legs Rear view		90
Rear leg Set		101
Foot Angle		100
Front feet orientation		96
Locomotion		88
For udder attachment		91
Front teat placement		92
Teat length		98
Udder depth		91
Rear udder height		88
Central ligament		91
Rear teat placement		92
Udder balans		94

